

City of Sunnyvale

Inspection Date: 7/27/04

Community Development Department  
Tree Removal Permit Checklist

ATTACHMENT C

Page 1 of 1

Address: 794- Stanford Dr

File: 2004 0584

Species and size of trees: 3 - RED WOODS

RECEIVED

Recommendation:

☒ Approve - 2+3

JUL 27 2004

☒ Deny -

PLANNING DIVISION

Findings:

☒ Tree is diseased or badly damaged. #2+3

☐ Trees represent a hazard.

☐ Sound condition, but restricts owners reasonable use of property.

☒ Other: Longest tree #1 w/ 70% canopy

Replacement trees required appears to be preservation canopy.

☒ yes

15 gallon- number: 2

☐ no

24 inch box- number:         

Recommended species to be planted: Replacement tree should be located where a Small ☒ Medium ☐ or Large tree will grow to maturity without being impaired by:

-pavement -utilities -building -other trees

Ok to recommend permit due to:

Decline ☒ Disease ☒

Decay ☐

Hazard ☒

that cannot be remedied through normal

means of maintenance, or future growth of tree is impaired by

high

voltage ☐

structure ☐

pavement ☐

other trees ☐

utilities ☐

Comments: SEE MAP OF TREES #1-3

ARBORIST CALLED TO RELAY + INTERPRET APPLICANTS DESCRIPTION.

Submitted by:

Steve Sukke  
Steve Sukke, C.A. 193

Date: 7/26/04

Senior Public Works Leader